

Spécification	Nombre de cellules	Résistivité de surface Ohms ( $\Omega$ )
2" Chip Tray 033 × 033 MIL	21 × 21 = 441	$10^9 \sim 10^{11}$
2" Chip Tray 110 × 094 MIL	8 × 8 = 64	$10^9 \sim 10^{12}$
2" Chip Tray 112 × 096 MIL	11 × 10 = 110	$10^9 \sim 10^{11}$
2" Chip Tray 156 × 149 MIL	8 × 8 = 64	$10^9 \sim 10^{11}$
2" Chip Tray 160 × 178 MIL	7 × 8 = 56	$10^9 \sim 10^{11}$
2" Chip Tray 165 × 165 MIL	8 × 8 = 64	$10^9 \sim 10^{12}$
2" Chip Tray 200 × 167 MIL	6 × 7 = 42	$10^9 \sim 10^{11}$
2" Chip Tray 215 × 172 MIL	6 × 7 = 42	$10^9 \sim 10^{11}$
2" Chip Tray 219 × 199 MIL	6 × 7 = 42	$10^9 \sim 10^{11}$
2" Chip Tray 678 × 057 MIL	2 × 17 = 34	$10^9 \sim 10^{12}$
3" Chip Tray 589 × 045 MIL	4 × 25 = 100	$10^9 \sim 10^{11}$
3" Chip Tray 741 × 046 MIL	4 × 25 = 100	$10^9 \sim 10^{11}$
3" Chip Tray 377 × 076 MIL	6 × 20 = 120	$10^9 \sim 10^{11}$
3" Chip Tray 386 × 056 MIL	5 × 23 = 115	$10^9 \sim 10^{11}$
3" Chip Tray 411 × 035 MIL	5 × 30 = 150	$10^9 \sim 10^{11}$
3" Chip Tray 451 × 046 MIL	5 × 34 = 170	$< 1 \times 10^{12}$
3" Chip Tray 481 × 042 MIL	5 × 30 = 150	$10^9 \sim 10^{11}$
3" Chip Tray 511 × 071 MIL	4 × 24 = 96	$< 1 \times 10^{12}$
3" Chip Tray 549 × 030 MIL	4 × 29 = 116	$10^9 \sim 10^{11}$
3" Chip Tray 550 × 031 MIL	4 × 29 = 116	$10^9 \sim 10^{11}$
3" Chip Tray 559 × 033 MIL	4 × 30 = 120	$10^9 \sim 10^{11}$
3" Chip Tray 602 × 033 MIL	4 × 30 = 120	$10^9 \sim 10^{11}$
3" Chip Tray 639 × 043 MIL	4 × 30 = 120	$10^9 \sim 10^{11}$
3" Chip Tray 645 × 035 MIL	3 × 29 = 87	$10^9 \sim 10^{11}$
3" Chip Tray 694 × 039 MIL	3 × 28 = 84	$10^9 \sim 10^{11}$
3" Chip Tray 705 × 032 MIL	3 × 28 = 84	$10^9 \sim 10^{12}$
3" Chip Tray 715 × 061 MIL	3 × 25 = 75	$< 1 \times 10^{12}$
3" Chip Tray 718 × 039 MIL	3 × 29 = 87	$10^9 \sim 10^{11}$
3" Chip Tray 739 × 032 MIL	3 × 27 = 81	$10^9 \sim 10^{11}$


**W-Tech**

 3, Rue Jean Gonnet  
 38110 Saint Jean de Soudain  
 Tél : 04 74 93 01 54 | Fax : 04 74 93 25 84  
 Web : <http://www.w-tech.fr> | Mail : [Commercial@w-tech.fr](mailto:Commercial@w-tech.fr)

SAS au capital de 7950 Euros – SIRET 487 677 254 | Code APE 4652Z

V1.1 – 02/2020

Page 1 sur 12




3" Chip Tray 744 × 031 MIL	3 × 29 = 87	10 <sup>9</sup> ~ 10 <sup>11</sup>
3" Chip Tray 752 × 036 MIL	3 × 29 = 87	10 <sup>9</sup> ~ 10 <sup>12</sup>
3" Chip Tray 753 × 035 MIL	3 × 25 = 75	10 <sup>9</sup> ~ 10 <sup>11</sup>
3" Chip Tray 758 × 040 MIL	3 × 40 = 120	10 <sup>9</sup> ~ 10 <sup>11</sup>
3" Chip Tray 809 × 086 MIL	3 × 17 = 51	10 <sup>9</sup> ~ 10 <sup>11</sup>
3" Chip Tray 929 × 080 MIL	2 × 20 = 40	1 × 10 <sup>9</sup> ~ 1 × 10 <sup>11</sup>
3" Chip Tray 972 × 053 MIL	2 × 25 = 50	10 <sup>9</sup> ~ 10 <sup>12</sup>
3" Chip Tray 1006 × 053 MIL	3 × 26 = 78	10 <sup>9</sup> ~ 10 <sup>11</sup>
3" Chip Tray 1220 × 177 MIL	2 × 11 = 22	10 <sup>9</sup> ~ 10 <sup>12</sup>
4" Chip Tray 598 × 033 MIL	4 × 39 = 156	10 <sup>9</sup> ~ 10 <sup>11</sup>
4" Chip Tray 599 × 034 MIL	4 × 43 = 172	10 <sup>9</sup> ~ 10 <sup>11</sup>
4" Chip Tray 630 × 039 MIL	4 × 43 = 172	10 <sup>9</sup> ~ 10 <sup>11</sup>
4" Chip Tray 672 × 056 MIL	4 × 30 = 120	10 <sup>9</sup> ~ 10 <sup>11</sup>
4" Chip Tray 708 × 032 MIL	4 × 43 = 172	10 <sup>9</sup> ~ 10 <sup>11</sup>
4" Chip Tray 774 × 047 MIL	3 × 37 = 111	10 <sup>9</sup> ~ 10 <sup>11</sup>
4" Chip Tray 877 × 208 MIL	3 × 13 = 29	10 <sup>9</sup> ~ 10 <sup>11</sup>
4" Chip Tray 991 × 044 MIL	3 × 35 = 105	10 <sup>9</sup> ~ 10 <sup>12</sup>
2" Chip Cover Tray	0	< 1 × 10 <sup>12</sup>
2" Chip Tray 028 × 017 MIL	17 × 21 = 357	< 1 × 10 <sup>12</sup>
2" Chip Tray 032 × 036 MIL	20 × 20 = 400	≤ 1 × 10 <sup>11</sup>
2" Chip Tray 040 × 048 MIL	11 × 11 = 121	10 <sup>9</sup> ~ 10 <sup>11</sup>
2" Chip Tray 042 × 057 MIL	(16 × 16) - 6 = 250	< 1 × 10 <sup>12</sup>
2" Chip Tray 048 × 128 MIL	10 × 11 = 110	10 <sup>9</sup> ~ 10 <sup>11</sup>
2" Chip Tray 049 × 049 MIL	16 × 16 = 256	≤ 1 × 10 <sup>11</sup>
2" Chip Tray 055 × 102 MIL	11 × 11 = 121	10 <sup>9</sup> ~ 10 <sup>11</sup>
2" Chip Tray 063 × 078 MIL	14 × 12 = 168	≥ 10 <sup>5</sup> à ≤ 10 <sup>11</sup>
2" Chip Tray 066 × 066 MIL	14 × 14 = 196	≥ 10 <sup>5</sup> à ≤ 10 <sup>11</sup>
2" Chip Tray 066 × 085 MIL	15 × 13 = 195	≤ 1 × 10 <sup>11</sup>
2" Chip Tray 066 × 113 MIL	10 × 14 = 140	≥ 10 <sup>5</sup> à ≤ 10 <sup>11</sup>
2" Chip Tray 067 × 072 MIL	(17 × 18) - 6 = 300	< 1 × 10 <sup>12</sup>
2" Chip Tray 067 × 128 MIL	9 × 14 = 126	≥ 10 <sup>5</sup> à ≤ 10 <sup>11</sup>
2" Chip Tray 071 × 071 MIL	12 × 12 = 144	1 × 10 <sup>5</sup> ~ ≤ 1 × 10 <sup>11</sup>

## W-Tech

 3, Rue Jean Gonnet  
 38110 Saint Jean de Soudain  
 Tél : 04 74 93 01 54 | Fax : 04 74 93 25 84  
 Web : <http://www.w-tech.fr> | Mail : [Commercial@w-tech.fr](mailto:Commercial@w-tech.fr)

SAS au capital de 7950 Euros – SIRET 487 677 254 | Code APE 4652Z

V1.1 – 02/2020



2" Chip Tray 071 × 071 MIL	12 × 12 = 144	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 074 × 085 MIL	11 × 11 = 121	$10^9 \sim 10^{11}$
2" Chip Tray 077 × 085 MIL	10 × 11 = 110	$10^9 \sim 10^{11}$
2" Chip Tray 078 × 078 MIL	13 × 13 = 169	$\geq 10^5 \text{ à } \leq 10^{11}$
2" Chip Tray 078 × 097 MIL	11 × 12 = 132	$\leq 1 \times 10^{11}$
2" Chip Tray 079 × 079 MIL	11 × 11 = 121	$10^9 \sim 10^{11}$
2" Chip Tray 079 × 089 MIL	12 × 13 = 156	$\geq 10^5 \text{ à } \leq 10^{11}$
2" Chip Tray 079 × 094 MIL	10 × 11 = 110	$10^9 \sim 10^{11}$
2" Chip Tray 080 × 171 MIL	7 × 12 = 84	$< 1 \times 10^{12}$
2" Chip Tray 081 × 134 MIL	10 × 10 = 100	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 082 × 097 MIL	11 × 11 = 121	$10^9 \sim 10^{11}$
2" Chip Tray 082 × 098 MIL	11 × 12 = 132	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 082 × 098 MIL	11 × 12 = 132	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 083 × 091 MIL	12 × 12 = 144	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 084 × 089 MIL	12 × 12 = 144	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 084 × 104 MIL	10 × 10 = 100	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 085 × 616 MIL	2 × 10 = 20	$< 1 \times 10^{12}$
2" Chip Tray 086 × 096 MIL	14 × 15 = 210	$< 1 \times 10^{12}$
2" Chip Tray 088 × 132 MIL	10 × 12 = 120	$< 1 \times 10^{12}$
2" Chip Tray 089 × 138 MIL	8 × 11 = 88	$\geq 10^5 \text{ à } \leq 10^{11}$
2" Chip Tray 092 × 117 MIL	10 × 11 = 110	$< 1 \times 10^{12}$
2" Chip Tray 093 × 155 MIL	8 × 11 = 88	$10^9 \sim 10^{11}$
2" Chip Tray 096 × 098 MIL	10 × 10 = 100	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 096 × 098 MIL	10 × 10 = 100	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 97 × 114 MIL	11 × 10 = 110	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 97 × 114 MIL	11 × 10 = 110	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 97 × 114 MIL	11 × 10 = 110	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 97 × 114 MIL	11 × 10 = 110	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 97 × 114 MIL	9 × 10 = 90	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 97 × 114 MIL	9 × 10 = 90	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 098 × 103 MIL	(14 × 15) - 10 = 200	$< 1 \times 10^{12}$
2" Chip Tray 099 × 135 MIL	10 × 12 = 120	$10^9 \sim 10^{11}$

## W-Tech

 3, Rue Jean Gonnet  
 38110 Saint Jean de Soudain  
 Tél : 04 74 93 01 54 | Fax : 04 74 93 25 84  
 Web : <http://www.w-tech.fr> | Mail : [Commercial@w-tech.fr](mailto:Commercial@w-tech.fr)

SAS au capital de 7950 Euros – SIRET 487 677 254 | Code APE 4652Z

V1.1 – 02/2020



2" Chip Tray 1101 × 120 MIL	9 × 10 = 90	$\geq 10^5$ à $\leq 10^{11}$
2" Chip Tray 102 × 110 MIL	11 × 11 = 121	$10^9 \sim 10^{11}$
2" Chip Tray 103 × 123 MIL	10 × 11 = 110	$10^9 \sim 10^{11}$
2" Chip Tray 107 × 128 MIL	10 × 10 = 100	$< 1 \times 10^{12}$
2" Chip Tray 108 × 123 MIL	9 × 10 = 90	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 108 × 123 MIL	9 × 10 = 90	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 108 × 123 MIL	9 × 10 = 90	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 108 × 123 MIL	9 × 10 = 90	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 108 × 123 MIL	9 × 10 = 90	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 108 × 123 MIL	9 × 10 = 90	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 109 × 109 MIL	10 × 10 = 100	$\leq 1 \times 10^{11}$
2" Chip Tray 109 × 113 MIL	10 × 10 = 100	$10^9 \sim 10^{11}$
2" Chip Tray 110 × 111 MIL	11 × 11 = 121	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 110 × 111 MIL	11 × 11 = 121	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 110 × 136 MIL	9 × 10 = 90	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 110 × 136 MIL	9 × 10 = 90	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 111 × 117 MIL	10 × 10 = 100	$10^9 \sim 10^{11}$
2" Chip Tray 111 × 117 MIL	10 × 10 = 100	$10^9 \sim 10^{11}$
2" Chip Tray 111 × 133 MIL	9 × 10 = 100	$10^9 \sim 10^{11}$
2" Chip Tray 112 × 119 MIL	10 × 10 = 100	$\leq 1 \times 10^{11}$
2" Chip Tray 113 × 124 MIL	9 × 10 = 90	$10^9 \sim 10^{11}$
2" Chip Tray 113 × 133 MIL	9 × 10 = 90	$10^9 \sim 10^{11}$
2" Chip Tray 114 × 140 MIL	9 × 10 = 90	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 114 × 140 MIL	9 × 10 = 90	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 115 × 152 MIL	8 × 10 = 80	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 115 × 152 MIL	8 × 10 = 80	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 115 × 157 MIL	8 × 10 = 80	$\leq 1 \times 10^{11}$
2" Chip Tray 115 × 162 MIL	8 × 10 = 80	$< 1 \times 10^{12}$
2" Chip Tray 116 × 116 MIL	10 × 10 = 100	$\leq 1 \times 10^{11}$
2" Chip Tray 118 × 118 MIL	10 × 10 = 100	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 118 × 118 MIL	10 × 10 = 100	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 118 × 118 MIL	10 × 10 = 100	$1 \times 10^5 \sim \leq 1 \times 10^{11}$

## W-Tech

3, Rue Jean Gonnet  
 38110 Saint Jean de Soudain  
 Tél : 04 74 93 01 54 | Fax : 04 74 93 25 84  
 Web : <http://www.w-tech.fr> | Mail : [Commercial@w-tech.fr](mailto:Commercial@w-tech.fr)

SAS au capital de 7950 Euros – SIRET 487 677 254 | Code APE 4652Z

V1.1 – 02/2020



2" Chip Tray 118 × 118 MIL	10 × 10 = 100	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 118 × 118 MIL	10 × 10 = 100	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 118 × 118 MIL	10 × 10 = 100	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 119 × 180 MIL	7 × 9 = 63	$\leq 1 \times 10^{11}$
2" Chip Tray 120 × 044 MIL	10 × 18 = 180	$1 \times 10^9 \sim 1 \times 10^{12}$
2" Chip Tray 124 × 135 MIL	9 × 9 = 81	$\leq 1 \times 10^{11}$
2" Chip Tray 124 × 366 MIL	4 × 10 = 40	$< 1 \times 10^{12}$
2" Chip Tray 125 × 134 MIL	9 × 9 = 81	$< 1 \times 10^{12}$
2" Chip Tray 125 × 134 MIL	9 × 9 = 81	$< 1 \times 10^{12}$
2" Chip Tray 126 × 126 MIL	9 × 9 = 81	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 126 × 126 MIL	9 × 9 = 81	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 126 × 148 MIL	8 × 9 = 72	$\geq 10^5 \text{ à } \leq 10^{11}$
2" Chip Tray 129 × 137 MIL	9 × 9 = 81	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 129 × 137 MIL	9 × 9 = 81	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 129 × 137 MIL	9 × 9 = 81	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 129 × 137 MIL	9 × 9 = 81	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 129 × 153 MIL	8 × 9 = 72	$\geq 10^5 \text{ à } \leq 10^{11}$
2" Chip Tray 130 × 120 MIL	9 × 10 = 90	$< 1 \times 10^{12}$
2" Chip Tray 132 × 139 MIL	9 × 9 = 81	$< 1 \times 10^{12}$
2" Chip Tray 132 × 182 MIL	6 × 8 = 48	$< 1 \times 10^{12}$
2" Chip Tray 133 × 139 MIL	9 × 9 = 81	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 133 × 139 MIL	7 × 7 = 49	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 133 × 139 MIL	7 × 7 = 49	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 133 × 139 MIL	7 × 7 = 49	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 133 × 139 MIL	7 × 7 = 49	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 133 × 157 MIL	8 × 8 = 64	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 133 × 157 MIL	8 × 8 = 64	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 134 × 136 MIL	9 × 9 = 81	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 136 × 244 MIL	6 × 9 = 54	$10^9 \sim 10^{11}$
2" Chip Tray 137 × 237 MIL	5 × 7 = 35	$< 1 \times 10^{12}$
2" Chip Tray 138 × 170 MIL	7 × 8 = 56	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 138 × 170 MIL	7 × 8 = 56	$1 \times 10^5 \sim \leq 1 \times 10^{11}$

## W-Tech

 3, Rue Jean Gonnet  
 38110 Saint Jean de Soudain  
 Tél : 04 74 93 01 54 | Fax : 04 74 93 25 84  
 Web : <http://www.w-tech.fr> | Mail : [Commercial@w-tech.fr](mailto:Commercial@w-tech.fr)

SAS au capital de 7950 Euros – SIRET 487 677 254 | Code APE 4652Z

V1.1 – 02/2020




2" Chip Tray 142 × 190 MIL	6 × 8 = 48	$\geq 10^5$ à $\leq 10^{11}$
2" Chip Tray 143 × 157 MIL	8 × 8 = 64	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 143 × 157 MIL	8 × 8 = 64	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 143 × 208 MIL	6 × 8 = 48	$\geq 10^5$ à $\leq 10^{11}$
2" Chip Tray 144 × 155 MIL	9 × 9 = 81	$< 1 \times 10^{12}$
2" Chip Tray 145 × 140 MIL	10 × 10 = 100	$< 1 \times 10^{12}$
2" Chip Tray 146 × 158 MIL	8 × 8 = 64	$< 1 \times 10^{12}$
2" Chip Tray 148 × 157 MIL	8 × 8 = 64	$< 1 \times 10^{12}$
2" Chip Tray 148 × 173 MIL	8 × 9 = 72	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 149 × 167 MIL	8 × 9 = 72	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 150 × 168 MIL	7 × 8 = 56	$\leq 1 \times 10^{11}$
2" Chip Tray 151 × 154 MIL	8 × 8 = 64	$\leq 1 \times 10^{11}$
2" Chip Tray 152 × 187 MIL	8 × 9 = 72	$< 1 \times 10^{12}$
2" Chip Tray 156 × 164 MIL	8 × 8 = 64	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 157 × 162 MIL	8 × 8 = 64	$< 1 \times 10^{12}$
2" Chip Tray 157 × 175 MIL	7 × 8 = 56	$\geq 10^5$ à $\leq 10^{11}$
2" Chip Tray 159 × 177 MIL	9 × 10 = 90	$10^9 \sim 10^{11}$
2" Chip Tray 159 × 198 MIL	6 × 8 = 48	$\geq 10^5$ à $\leq 10^{11}$
2" Chip Tray 163 × 063 MIL	8 × 17 = 136	$1 \times 10^9 \sim 1 \times 10^{12}$
2" Chip Tray 163 × 157 MIL	8 × 8 = 64	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 164 × 171 MIL	8 × 8 = 64	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 164 × 171 MIL	8 × 8 = 64	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 164 × 172 MIL	8 × 8 = 64	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 164 × 172 MIL	8 × 8 = 64	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 165 × 146 MIL	8 × 8 = 64	$< 1 \times 10^{12}$
2" Chip Tray 159 × 177 MIL	9 × 10 = 90	$10^9 \sim 10^{11}$
2" Chip Tray 173 × 186 MIL	7 × 7 = 49	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 173 × 186 MIL	7 × 7 = 49	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 173 × 213 MIL	6 × 7 = 42	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 173 × 213 MIL	6 × 7 = 42	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 174 × 213 MIL	6 × 7 = 42	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 174 × 213 MIL	6 × 7 = 42	$1 \times 10^5 \sim \leq 1 \times 10^{11}$

## W-Tech

 3, Rue Jean Gonnet  
 38110 Saint Jean de Soudain  
 Tél : 04 74 93 01 54 | Fax : 04 74 93 25 84  
 Web : <http://www.w-tech.fr> | Mail : [Commercial@w-tech.fr](mailto:Commercial@w-tech.fr)

SAS au capital de 7950 Euros – SIRET 487 677 254 | Code APE 4652Z

V1.1 – 02/2020




2" Chip Tray 176 × 186 MIL	7 × 7 = 49	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 176 × 186 MIL	7 × 7 = 49	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 176 × 196 MIL	7 × 6 = 42	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 177 × 177 MIL	7 × 7 = 49	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 177 × 177 MIL	7 × 7 = 49	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 177 × 179 MIL	7 × 7 = 49	$\leq 1 \times 10^{12}$
2" Chip Tray 177 × 277 MIL	5 × 7 = 35	$\leq 1 \times 10^{11}$
2" Chip Tray 178 × 255 MIL	6 × 7 = 42	$< 1 \times 10^{12}$
2" Chip Tray 180 × 210 MIL	7 × 8 = 56	$10^9 \sim 10^{11}$
2" Chip Tray 182 × 190 MIL	6 × 7 = 42	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 182 × 190 MIL	6 × 7 = 42	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 185 × 218 MIL	6 × 7 = 42	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 185 × 218 MIL	6 × 7 = 42	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 186 × 219 MIL	6 × 7 = 42	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 186 × 219 MIL	6 × 7 = 42	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 187 × 194 MIL	7 × 7 = 49	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 187 × 194 MIL	7 × 7 = 49	$< 1 \times 10^{12}$
2" Chip Tray 188 × 188 MIL	7 × 7 = 49	$< 1 \times 10^{12}$
2" Chip Tray 190 × 192 MIL	7 × 7 = 49	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 190 × 192 MIL	7 × 7 = 49	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 190 × 192 MIL	7 × 7 = 49	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 190 × 192 MIL	7 × 7 = 49	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 190 × 192 MIL	5 × 5 = 25	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 190 × 192 MIL	5 × 5 = 25	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 191 × 195 MIL	6 × 6 = 36	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 191 × 195 MIL	6 × 6 = 36	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 193 × 193 MIL	7 × 7 = 49	$< 1 \times 10^{12}$
2" Chip Tray 193 × 197 MIL	5 × 5 = 25	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 193 × 197 MIL	5 × 5 = 25	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 194 × 241 MIL	5 × 6 = 30	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 194 × 241 MIL	5 × 6 = 30	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 195 × 197 MIL	6 × 6 = 36	$1 \times 10^5 \sim \leq 1 \times 10^{11}$

## W-Tech

 3, Rue Jean Gonnet  
 38110 Saint Jean de Soudain  
 Tél : 04 74 93 01 54 | Fax : 04 74 93 25 84  
 Web : <http://www.w-tech.fr> | Mail : [Commercial@w-tech.fr](mailto:Commercial@w-tech.fr)

SAS au capital de 7950 Euros – SIRET 487 677 254 | Code APE 4652Z

V1.1 – 02/2020



2" Chip Tray 195 × 197 MIL	6 × 6 = 36	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 193 × 210 MIL	7 × 7 = 49	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 200 × 224 MIL	6 × 7 = 42	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 201 × 225 MIL	6 × 7 = 42	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 201 × 620 MIL	6 × 2 = 12	$\geq 10^5 \text{ à } \leq 10^{11}$
2" Chip Tray 202 × 202 MIL	7 × 7 = 49	$< 1 \times 10^{12}$
2" Chip Tray 203 × 242 MIL	6 × 7 = 42	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 204 × 217 MIL	6 × 6 = 36	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 204 × 217 MIL	6 × 6 = 36	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 207 × 207 MIL	6 × 6 = 36	$< 1 \times 10^{12}$
2" Chip Tray 207 × 210 MIL	6 × 6 = 36	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 207 × 210 MIL	6 × 6 = 36	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 208 × 217 MIL	6 × 6 = 36	$\geq 10^5 \text{ à } \leq 10^{11}$
2" Chip Tray 211 × 223 MIL	6 × 6 = 36	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 211 × 223 MIL	6 × 6 = 36	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 212 × 213 MIL	6 × 6 = 36	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 212 × 213 MIL	6 × 6 = 36	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 222 × 291 MIL	5 × 6 = 30	$\leq 1 \times 10^{11}$
2" Chip Tray 223 × 250 MIL	5 × 6 = 30	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 223 × 250 MIL	5 × 6 = 30	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 225 × 247 MIL	5 × 6 = 30	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 226 × 237 MIL	6 × 6 = 36	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 228 × 263 MIL	5 × 6 = 30	$\leq 1 \times 10^{11}$
2" Chip Tray 229 × 388 MIL	3 × 6 = 18	$< 1 \times 10^{12}$
2" Chip Tray 230 × 236 MIL	5 × 5 = 25	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 230 × 236 MIL	5 × 5 = 25	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 230 × 293 MIL	4 × 6 = 24	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 230 × 293 MIL	4 × 6 = 24	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 230 × 293 MIL	4 × 6 = 24	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 230 × 293 MIL	4 × 6 = 24	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 230 × 305 MIL	4 × 5 = 20	$< 1 \times 10^{12}$
2" Chip Tray 232 × 388 MIL	3 × 6 = 18	$< 1 \times 10^{12}$

## W-Tech

 3, Rue Jean Gonnet  
 38110 Saint Jean de Soudain  
 Tél : 04 74 93 01 54 | Fax : 04 74 93 25 84  
 Web : <http://www.w-tech.fr> | Mail : [Commercial@w-tech.fr](mailto:Commercial@w-tech.fr)

SAS au capital de 7950 Euros – SIRET 487 677 254 | Code APE 4652Z

V1.1 – 02/2020






2" Chip Tray 235 × 235 MIL	5 × 5 = 25	$< 1 \times 10^{12}$
2" Chip Tray 236 × 256 MIL	5 × 5 = 25	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 236 × 256 MIL	5 × 5 = 25	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 237 × 257 MIL	5 × 5 = 25	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 237 × 257 MIL	5 × 5 = 25	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 240 × 249 MIL	5 × 6 = 30	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 241 × 247 MIL	6 × 6 = 36	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 241 × 247 MIL	6 × 6 = 36	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 243 × 358 MIL	4 × 6 = 24	$< 1 \times 10^{12}$
2" Chip Tray 245 × 257 MIL	5 × 6 = 30	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 245 × 257 MIL	5 × 6 = 30	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 245 × 257 MIL	5 × 5 = 25	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 245 × 257 MIL	5 × 5 = 25	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 247 × 251 MIL	5 × 5 = 25	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 247 × 251 MIL	5 × 5 = 25	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 248 × 249 MIL	6 × 6 = 36	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 251 × 267 MIL	5 × 5 = 25	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 251 × 267 MIL	5 × 5 = 25	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 259 × 265 MIL	5 × 5 = 25	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 259 × 265 MIL	5 × 5 = 25	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 261 × 278 MIL	5 × 5 = 25	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 261 × 278 MIL	5 × 5 = 25	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 262 × 288 MIL	5 × 5 = 25	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 262 × 288 MIL	5 × 5 = 25	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 263 × 273 MIL	5 × 5 = 25	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 263 × 273 MIL	5 × 5 = 25	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 263 × 273 MIL	5 × 5 = 25	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 263 × 273 MIL	5 × 5 = 25	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 271 × 385 MIL	3 × 5 = 15	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 271 × 385 MIL	3 × 5 = 15	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 273 × 335 MIL	4 × 5 = 20	$\leq 1 \times 10^{11}$
2" Chip Tray 274 × 351 MIL	4 × 5 = 20	$1 \times 10^5 \sim \leq 1 \times 10^{11}$

## W-Tech

 3, Rue Jean Gonnet  
 38110 Saint Jean de Soudain  
 Tél : 04 74 93 01 54 | Fax : 04 74 93 25 84  
 Web : <http://www.w-tech.fr> | Mail : [Commercial@w-tech.fr](mailto:Commercial@w-tech.fr)

SAS au capital de 7950 Euros – SIRET 487 677 254 | Code APE 4652Z

V1.1 – 02/2020



2" Chip Tray 274 × 351 MIL	4 × 5 = 20	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 274 × 351 MIL	4 × 5 = 20	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 274 × 351 MIL	4 × 5 = 20	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 281 × 292 MIL	4 × 5 = 20	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 281 × 292 MIL	4 × 5 = 20	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 281 × 292 MIL	4 × 5 = 20	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 281 × 292 MIL	4 × 5 = 20	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 281 × 307 MIL	4 × 5 = 20	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 281 × 307 MIL	4 × 5 = 20	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 281 × 307 MIL	3 × 5 = 15	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 281 × 307 MIL	3 × 5 = 15	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 283 × 295 MIL	5 × 5 = 25	$< 1 \times 10^{12}$
2" Chip Tray 285 × 298 MIL	4 × 5 = 20	$\leq 1 \times 10^{11}$
2" Chip Tray 287 × 362 MIL	4 × 4 = 16	$\geq 10^5 \text{ à } \leq 10^{11}$
2" Chip Tray 288 × 370 MIL	4 × 5 = 20	$\geq 10^5 \text{ à } \leq 10^{11}$
2" Chip Tray 291 × 294 MIL	4 × 5 = 20	$\geq 10^5 \text{ à } \leq 10^{11}$
2" Chip Tray 291 × 298 MIL	5 × 5 = 25	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 298 × 324 MIL	4 × 4 = 16	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 298 × 324 MIL	4 × 4 = 16	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 307 × 331 MIL	4 × 4 = 16	$\leq 1 \times 10^{11}$
2" Chip Tray 317 × 363 MIL	4 × 4 = 16	$\leq 1 \times 10^{11}$
2" Chip Tray 320 × 038 MIL	4 × 17 = 68	$< 1 \times 10^{12}$
2" Chip Tray 332 × 615 MIL	2 × 4 = 8	$< 1 \times 10^{12}$
2" Chip Tray 333 × 544 MIL	2 × 4 = 8	$\leq 1 \times 10^{11}$
2" Chip Tray 341 × 385 MIL	3 × 4 = 12	$\geq 10^5 \text{ à } \leq 10^{11}$
2" Chip Tray 368 × 368 MIL	4 × 4 = 16	$< 1 \times 10^{12}$
2" Chip Tray 376 × 476 MIL	3 × 4 = 12	$< 1 \times 10^{12}$
2" Chip Tray 381 × 424 MIL	3 × 4 = 12	$< 1 \times 10^{12}$
2" Chip Tray 383 × 507 MIL	3 × 3 = 9	$\geq 10^5 \text{ à } \leq 10^{11}$
2" Chip Tray 395 × 059 MIL	3 × 15 = 45	$1 \times 10^9 \sim 1 \times 10^{12}$
2" Chip Tray 404 × 416 MIL	3 × 3 = 9	$\leq 1 \times 10^{11}$
2" Chip Tray 411 × 452 MIL	3 × 3 = 9	$\geq 10^5 \text{ à } \leq 10^{11}$


## W-Tech

 3, Rue Jean Gonnet  
 38110 Saint Jean de Soudain  
 Tél : 04 74 93 01 54 | Fax : 04 74 93 25 84  
 Web : <http://www.w-tech.fr> | Mail : [Commercial@w-tech.fr](mailto:Commercial@w-tech.fr)

SAS au capital de 7950 Euros – SIRET 487 677 254 | Code APE 4652Z

V1.1 – 02/2020

Page 10 sur 12



2" Chip Tray 417 × 447 MIL	3 × 3 = 9	$\geq 10^5$ à $\leq 10^{11}$
2" Chip Tray 419 × 429 MIL	3 × 3 = 9	$\leq 1 \times 10^{11}$
2" Chip Tray 425 × 118 MIL	3 × 10 = 30	$< 1 \times 10^{12}$
2" Chip Tray 433 × 433 MIL	3 × 3 = 9	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 433 × 433 MIL	3 × 3 = 9	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 445 × 458 MIL	7 × 7 = 49	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 449 × 449 MIL	3 × 3 = 9	$< 1 \times 10^{12}$
2" Chip Tray 454 × 592 MIL	2 × 3 = 6	$\leq 1 \times 10^{11}$
2" Chip Tray 462 × 462 MIL	3 × 3 = 9	$\leq 1 \times 10^{11}$
2" Chip Tray 462 × 462 MIL	3 × 3 = 9	$< 1 \times 10^{12}$
2" Chip Tray 463 × 465 MIL	3 × 3 = 9	$< 1 \times 10^{12}$
2" Chip Tray 463 × 494 MIL	3 × 3 = 9	$< 1 \times 10^{12}$
2" Chip Tray 556 × 659 MIL	2 × 2 = 4	$\geq 10^5$ à $\leq 10^{11}$
2" Chip Tray 560 × 560 MIL	2 × 2 = 4	$1 \times 10^5 \sim \leq 1 \times 10^{11}$
2" Chip Tray 566 × 711 MIL	2 × 2 = 4	$< 1 \times 10^{12}$
2" Chip Tray 567 × 711 MIL	2 × 2 = 4	$\geq 10^5$ à $\leq 10^{11}$
2" Chip Tray 578 × 982 MIL	1 × 2 = 2	$\leq 1 \times 10^{11}$
2" Chip Tray 579 × 984 MIL	1 × 2 = 2	$< 1 \times 10^{12}$
2" Chip Tray 587 × 609 MIL	2 × 2 = 4	$\leq 1 \times 10^{11}$
2" Chip Tray 595 × 602 MIL	2 × 2 = 4	$< 1 \times 10^{12}$
2" Chip Tray 619 × 639 MIL	2 × 2 = 4	$< 1 \times 10^{12}$
2" Chip Tray 651 × 718 MIL	2 × 2 = 4	$\geq 10^5$ à $\leq 10^{11}$
2" Chip Tray 659 × 668 MIL	2 × 2 = 4	$\leq 1 \times 10^{11}$
2" Chip Tray 720 × 788 MIL	2 × 2 = 4	$\geq 10^5$ à $\leq 10^{11}$
2" Chip Tray 786 × 432 MIL	2 × 3 = 6	$< 1 \times 10^{12}$
2" Chip Tray 520 × 837 MIL	2 × 2 = 4	$< 1 \times 10^{12}$
2" Chip Tray 868 × 869 MIL	1 × 1 = 1	$< 1 \times 10^{12}$
2" Chip Tray 907 × 910 MIL	GF100	$\leq 1 \times 10^{11}$
2" Chip Tray 929 × 929 MIL	2 × 2 = 4	$< 1 \times 10^{12}$
2" Chip Tray 956 × 963 MIL	1 × 1 = 1	$< 1 \times 10^{12}$
3" Chip Cover Tray	0	$< 1 \times 10^{12}$
3" Chip Tray 033 × 463 MIL	5 × 29 = 145	$1 \times 10^{9\sim 12}$

### W-Tech

 3, Rue Jean Gonnet  
 38110 Saint Jean de Soudain  
 Tél : 04 74 93 01 54 | Fax : 04 74 93 25 84  
 Web : <http://www.w-tech.fr> | Mail : [Commercial@w-tech.fr](mailto:Commercial@w-tech.fr)

SAS au capital de 7950 Euros – SIRET 487 677 254 | Code APE 4652Z

V1.1 – 02/2020



3" Chip Tray 033 × 552 MIL	4 × 30 = 120	10 <sup>9</sup> ~ 10 <sup>11</sup>
3" Chip Tray 039 × 707 MIL	3 × 30 = 90	10 <sup>9</sup> ~ 10 <sup>11</sup>
3" Chip Tray 039 × 718 MIL	3 × 29 = 87	10 <sup>9</sup> ~ 10 <sup>11</sup>
3" Chip Tray 043 × 215 MIL	8 × 25 = 200	1 × 10 <sup>9</sup> ~ 1 × 10 <sup>11</sup>
3" Chip Tray 052 × 772 MIL	3 × 20 = 60	1 × 10 <sup>9</sup> ~ ≤ 1 × 10 <sup>11</sup>
3" Chip Tray 050 × 520 MIL	4 × 25 = 100	< 1 × 10 <sup>12</sup>
3" Chip Tray 079 × 500 MIL	4 × 17 = 68	< 1 × 10 <sup>12</sup>
3" Chip Tray 706 × 038 MIL	3 × 28 = 84	10 <sup>9</sup> ~ 10 <sup>12</sup>
4" Chip Tray 029 × 433 MIL	6 × 36 = 216	10 <sup>9</sup> ~ 10 <sup>11</sup>
4" Chip Tray 029 × 433 MIL	5 × 39 = 195	10 <sup>9</sup> ~ 10 <sup>11</sup>
4" Chip Tray 051 × 951 MIL	3 × 27 = 81	1 × 10 <sup>9</sup> ~ ≤ 1 × 10 <sup>11</sup>
4" Chip Tray 252 × 453 MIL	6 × 10 = 60	< 1 × 10 <sup>12</sup>
4" Chip Tray 306 × 810 MIL	4 × 9 = 36	< 1 × 10 <sup>12</sup>
4" Chip Tray 309 × 463 MIL	4 × 6 = 24	1 × 10 <sup>5</sup> ~ ≤ 1 × 10 <sup>11</sup>
4" Chip Tray 319 × 400 MIL	6 × 7 = 42	1 × 10 <sup>5</sup> ~ ≤ 1 × 10 <sup>11</sup>
4" Chip Tray 319 × 639 MIL	5 × 9 = 45	< 1 × 10 <sup>12</sup>
4" Chip Tray 324 × 463 MIL	4 × 6 = 24	1 × 10 <sup>5</sup> ~ ≤ 1 × 10 <sup>11</sup>
4" Chip Tray 357 × 507 MIL	5 × 7 = 35	< 1 × 10 <sup>12</sup>
4 "Chip Tray 476 × 535 MIL	6 × 6 = 36	< 1 × 10 <sup>12</sup>

## W-Tech

 3, Rue Jean Gonnet  
 38110 Saint Jean de Soudain  
 Tél : 04 74 93 01 54 | Fax : 04 74 93 25 84  
 Web : <http://www.w-tech.fr> | Mail : [Commercial@w-tech.fr](mailto:Commercial@w-tech.fr)

SAS au capital de 7950 Euros – SIRET 487 677 254 | Code APE 4652Z

V1.1 – 02/2020

Page 12 sur 12